ELSEVIER

Journal of Affective Disorders 79 (2004) 315–317

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 79)

Issues 1–3 April 2004

Special review

Can depression, anxiety and somatization be understood as appeasement displays?
J.S. Price, R. Gardner Jr. and M. Erickson (UK, USA) 1

Research reports

Serotonergic platelet markers of suicidal behavior—do they really exist?
B. Müller-Oerlinghausen, J. Roggenbach and L. Franke (Germany) 13

Investigation of completed suicide and genes involved in cholesterol metabolism
A. Lalovic, A. Sequeira, R. DeGuzman, N. Chawky, A. Lesage, M. Seguin and G. Turecki (Canada) 25

The relationship between interpersonal sensitivity, anxiety disorders and major depression
K. Wilhelm, P. Boyce and S. Brownhill (Australia) 33

Prophylaxis of schizoaffective disorder with lithium or carbamazepine: outcome after long-term follow-up
C. Baethge, P. Gruschka, A. Berghöfer, M. Bauer, B. Müller-Oerlinghausen, T. Bschor and M.N. Smolka (Germany, USA) 43

Bupropion and paroxetine differentially influence cardiovascular and neuroendocrine responses to stress in depressed patients
P.A. Straneva-Meuse, K.C. Light, M.T. Allen, M. Golding and S.S. Girdler (USA) 51

Clinical and psychosocial factors associated with the outcome of unipolar major depression: a one year prospective study
E. Ezquiaga, A. García-López, C. de Dios, A. Leiva, M. Bravo and J. Montejo (Spain, USA) 63

Minor depression: risk profiles, functional disability, health care use and risk of developing major depression
P. Cuijpers, R. de Graaf and S. van Dorsselaer (The Netherlands) 71

Depression and vascular disease: what is the relationship?
A.J. Thomas, R.N. Kalaria and J.T. O'Brien (UK) 81

Social adjustment and self-esteem of bipolar patients: a multicentric study
S. Blairy, S. Linotte, D. Souery, G.N. Papadimitriou, D. Dikeos, B. Lerer, R. Kaneva, V. Milanova, A. Serretti, F. Macciardi and J. Mendlewicz (Belgium, Greece, Israel, Bulgaria, Italy) 97

Use of health services for major depressive episode in Finland
J. Hämäläinen, E. Isometsä, T. Laukkala, J. Kaprio, K. Poikolainen, M. Heikkinen, S. Lindeman and H. Aro (Finland) 105

Prevention of postnatal distress or depression: an evaluation of an intervention at preparation for parenthood classes
S. Matthey, D.J. Kavanagh, P. Howie, B. Barnett and M. Charles (Australia) 113

doi:10.1016/S0165-0327(04)00068-0

Major depressive disorder in a population of urban, African-American young adults: prevalence, correlates, comorbidity and unmet mental health service need
N. Ialongo, B.K. McCreary, J.L. Pearson, A.L. Koenig, N.B. Schmidt, J. Poduska and S.G. Kellam (USA) 127
Effectiveness of pindolol plus serotonin uptake inhibitors in depression: a meta-analysis of early and late outcomes from randomised controlled trials
J. Ballesteros and L.F. Callado (Spain) 137
Life events, entrapments and arrested anger in depression
P. Gilbert, J. Gilbert and C. Irons (UK) 149
Well-being and life satisfaction in generalized anxiety disorder: comparison to major depressive disorder in a community sample
M.B. Stein and R.G. Heimberg (USA) 161
Early life menstrual characteristics and pregnancy experiences among women with and without major depression: the Harvard study of moods and cycles
B.L. Harlow, L.S. Cohen, M.W. Otto, D. Spiegelman and D.W. Cramer (USA) 167
The characteristics of asymptomatic female adolescents at high risk for depression: the baseline assessment from a prospective 8-year study
S. Kutcher, V. Kusumakar, J. LeBlanc, D. Santor, D. Lagace and R. Morehouse (Canada) 177
The cAMP-dependent protein kinase A and brain-derived neurotrophic factor expression in lymphoblast cells of bipolar affective disorder
F. Karege, M. Schwald, P. Papadimitriou, C. Lachausse and M. Cissé (Switzerland) 187
Dysfunctional assumptions in bipolar disorder
D. Lam, K. Wright and N. Smith (UK) 193

Brief reports

Manic patients receiving ECT in a Brazilian sample
F.M. Volpe and A. Tavares (Brazil) 201
Lifetime rates of alcoholism in adults with anxiety, depression, or co-morbid depression/anxiety: a community survey of Ontario
D. Gratzer, R.D. Levitan, T. Sheldon, T. Toneatto, N.A. Rector and P. Goering (Canada) 209
Anxious Thoughts and Tendencies Scale: An investigation of factor structure and the psychometric properties on the basis of an Australian sample
N.G. Khawaja and E.J. Dyer (Australia) 217
History of deliberate self-harm and its association with mood fluctuation
E. Sampson, S. Mukherjee, O.C. Ukoumunne, N. Mullan and T. Bullock (UK) 223
Remission in major depression with two antidepressant mechanisms: results from a naturalistic study
J.M. Montes, L. Ferrando and J. Saiz-Ruiz (Spain) 229
Mixed anxiety–depression in a 1 year follow-up study: shift to other diagnoses or remission?
K. Barkow, R. Heun, H.-U. Wittchen, T. Bedirhan Üstün, M. Gänsicke and W. Maier (Germany, Switzerland) 235
Phenomenological and comorbid features associated in obsessive–compulsive disorder: influence of age of onset
B. Millet, F. Kochman, T. Gallarda, M.O. Krebs, F. Demonfaucon, I. Barrot, M.C. Bourdel, J.P. Olié, H. Loo and E.G. Hantouche (France) 241
Characteristics of rapid cycling bipolar-I patients in a bipolar speciality clinic
A. Yildiz and G.S. Sachs (Turkey, USA) 247

Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy
K. Martiny, C. Simonsen, M. Lunde, L. Clemmensen and P. Bech (Denmark) 253
Minor physical anomalies in non-familial unipolar recurrent major depression
T. Tényi, M. Trixler, G. Csábi and S. Jeges (Hungary) 259
"Near-fatal" deliberate self-harm: characteristics, prevention and implications for the prevention of suicide
J. Douglas, J. Cooper, T. Amos, R. Webb, E. Guthrie and L. Appleby (UK) 263
The relationship between anger and depression in a clinical sample of young men: the role of insecure attachment
A. Troisi and A. D'Argenio (Italy) 269
Oxcarbazepine as add-on treatment in patients with bipolar manic, mixed or depressive episode
A. Benedetti, L. Lattanzi, S. Pini, L. Musetti, L. Dell'Osso and G.B. Cassano (Italy) 273
Substance use and perceived symptom improvement among patients with bipolar disorder and substance dependence
R.D. Weiss, M. Kolodziej, M.L. Griffin, L.M. Najavits, L.M. Jacobson and S.F. Greenfield (USA) 279
Cerebrospinal fluid interleukin (IL)-6 in unipolar major depression
L.L. Carpenter, G.R. Heninger, R.T. Malison, A.R. Tyrka and L.H. Price (USA) 285
The prevalence and clinical correlates of anger attacks during depressive episodes in bipolar disorder
R.H. Perlis, J.W. Smoller, M. Fava, J.F. Rosenbaum, A.A. Nierenberg and G.S. Sachs (USA) 291

Preliminary communication
Borderline personality disorder in patients with bipolar disorder and response to lamotrigine
G.A. Preston, B.K. Marchant, F.W. Reimherr, R.E. Strong and D.W. Hedges (USA) 297

Instructions to Authors 305

Author index 307

Subject index 311

Contents (Vol. 79) 315

Minor depression: risk profiles, functional disability, health care use and risk of developing major depression
P. Cuijpers, R. de Graaf and S. van Dorsselaer (The Netherlands) 71
Depression and vascular disease: what is the relationship?
A.J. Thomas, R.N. Kalaria and J.T. O'Brien (UK) 81
Social adjustment and self-esteem of bipolar patients: a multicentric study
S. Blairy, S. Linotte, D. Souery, G.N. Papadimitriou, D. Dikeos, B. Lerer, R. Kaneva, V. Milanova, A. Serretti, F. Macciardi and J. Mendlewicz (Belgium, Greece, Israel, Bulgaria, Italy) 97
Use of health services for major depressive episode in Finland
J. Hämäläinen, E. Isometsä, T. Laukkala, J. Kaprio, K. Poikolainen, M. Heikkinen, S. Lindeman and H. Aro (Finland) 105
Prevention of postnatal distress or depression: an evaluation of an intervention at preparation for parenthood classes
S. Matthey, D.J. Kavanagh, P. Howie, B. Barnett and M. Charles (Australia) 113
Major depressive disorder in a population of urban, African-American young adults: prevalence, correlates, comorbidity and unmet mental health service need
N. Ialongo, B.K. McCreary, J.L. Pearson, A.L. Koenig, N.B. Schmidt, J. Poduska and S.G. Kellam (USA) 127
Effectiveness of pindolol plus serotonin uptake inhibitors in depression: a meta-analysis of early and late outcomes from randomised controlled trials
J. Ballesteros and L.F. Callado (Spain) 137
Life events, entrapments and arrested anger in depression
P. Gilbert, J. Gilbert and C. Irons (UK) 149
Well-being and life satisfaction in generalized anxiety disorder: comparison to major depressive disorder in a community sample
M.B. Stein and R.G. Heimberg (USA) 161
Early life menstrual characteristics and pregnancy experiences among women with and without major depression: the Harvard study of moods and cycles
B.L. Harlow, L.S. Cohen, M.W. Otto, D. Spiegelman and D.W. Cramer (USA) 167
The characteristics of asymptomatic female adolescents at high risk for depression: the baseline assessment from a prospective 8-year study
S. Kutcher, V. Kusumakar, J. LeBlanc, D. Santor, D. Lagace and R. Morehouse (Canada) 177
The cAMP-dependent protein kinase A and brain-derived neurotrophic factor expression in lymphoblast cells of bipolar affective disorder
F. Karege, M. Schwald, P. Papadimitriou, C. Lachausse and M. Cissé (Switzerland) 187
Dysfunctional assumptions in bipolar disorder
D. Lam, K. Wright and N. Smith (UK) 193

Brief reports

Manic patients receiving ECT in a Brazilian sample
F.M. Volpe and A. Tavares (Brazil) 201
Lifetime rates of alcoholism in adults with anxiety, depression, or co-morbid depression/anxiety: a community survey of Ontario
D. Gratzer, R.D. Levitan, T. Sheldon, T. Toneatto, N.A. Rector and P. Goering (Canada) 209
Anxious Thoughts and Tendencies Scale: An investigation of factor structure and the psychometric properties on the basis of an Australian sample
N.G. Khawaja and E.J. Dyer (Australia) 217

History of deliberate self-harm and its association with mood fluctuation
E. Sampson, S. Mukherjee, O.C. Ukoumunne, N. Mullan and T. Bullock (UK) 223
Remission in major depression with two antidepressant mechanisms: results from a naturalistic study
J.M. Montes, L. Ferrando and J. Saiz-Ruiz (Spain) 229
Mixed anxiety–depression in a 1 year follow-up study: shift to other diagnoses or remission?
K. Barkow, R. Heun, H.-U. Wittchen, T. Bedirhan Üstün, M. Gänsicke and W. Maier (Germany, Switzerland) 235
Phenomenological and comorbid features associated in obsessive–compulsive disorder: influence of age of onset
B. Millet, F. Kochman, T. Gallarda, M.O. Krebs, F. Demonfaucon, I. Barrot, M.C. Bourdel, J.P. Olié, H. Loo and E.G. Hantouche (France) 241
Characteristics of rapid cycling bipolar-I patients in a bipolar speciality clinic
A. Yildiz and G.S. Sachs (Turkey, USA) 247
Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy
K. Martiny, C. Simonsen, M. Lunde, L. Clemmensen and P. Bech (Denmark) 253
Minor physical anomalies in non-familial unipolar recurrent major depression
T. Tényi, M. Trixler, G. Csábi and S. Jeges (Hungary) 259
"Near-fatal" deliberate self-harm: characteristics, prevention and implications for the prevention of suicide
J. Douglas, J. Cooper, T. Amos, R. Webb, E. Guthrie and L. Appleby (UK) 263
The relationship between anger and depression in a clinical sample of young men: the role of insecure attachment
A. Troisi and A. D'Argenio (Italy) 269
Oxcarbazepine as add-on treatment in patients with bipolar manic, mixed or depressive episode
A. Benedetti, L. Lattanzi, S. Pini, L. Musetti, L. Dell'Osso and G.B. Cassano (Italy) 273
Substance use and perceived symptom improvement among patients with bipolar disorder and substance dependence
R.D. Weiss, M. Kolodziej, M.L. Griffin, L.M. Najavits, L.M. Jacobson and S.F. Greenfield (USA) 279
Cerebrospinal fluid interleukin (IL)-6 in unipolar major depression
L.L. Carpenter, G.R. Heninger, R.T. Malison, A.R. Tyrka and L.H. Price (USA) 285
The prevalence and clinical correlates of anger attacks during depressive episodes in bipolar disorder
R.H. Perlis, J.W. Smoller, M. Fava, J.F. Rosenbaum, A.A. Nierenberg and G.S. Sachs (USA) 291

Preliminary communication

Borderline personality disorder in patients with bipolar disorder and response to lamotrigine
G.A. Preston, B.K. Marchant, F.W. Reimherr, R.E. Strong and D.W. Hedges (USA) 297

Instructions to Authors 305

Author index 307

Subject index 311

Contents (Vol. 79) 315

Vol. 79
Iss. 1 - 3
APR

2004